DNA Ladders

Omega Biotek offers a wide range of products for the accurate size and mass determination of DNA. Most of DNA Ladder includes one or two higher-intensity bands for easy identification and orientation. The ladders are supplied premixed with loading buffer and are stable at room temperature for a few weeks. There is no need to heat, mix, or dilute ladders prior to loading them on gel.

HT DNA Marker II

- CAT.No.: M05-01
- Packing: 250 ul
- Concentration: 0.060 ug/ul
- Store: at 4° C for periods up to 6 months. For longer periods store at -20° C.
- **Description:** HT DNA Ladder II is specifically designed for fast sizing and approximate quantification of low rang double-standed DNA in 48 well (or 96-well) high throughput gels, as well as in conventional agarose gels. The ladder is mixtures of five purified individual DNA fragments (in base pairs):2000,1000,500,300,100.
- Direction:
 - \diamond This product can load directly, since it contains 1×loading buffer. It is free of fluorescence dye such as EtBr.
 - ✤ For a loading well less than 6mm in width, 5ul of this product is enough for clear bands. For a wider well, more product may be required.
 - ♦ Gel and buffer may effect the electrophoresis. For better result, please use high quality agarose and fresh running buffer. 1.0% agarose gel is recommended.

• Electrophoresis Map:



5 ul/lane,6 cm length gel, 1×TAE,7 V/cm,20 min